



Mom Makes Botox Doctors Furious

Clever Mom Uses \$5 Trick to Erase Wrinkles
And Looks Younger Instantly! [Read More...](#)

SPACE DAILY

your portal to space

AdChoices |>

Microscopy imaging

www.keyence.eu
Keyence digital
microscopy with real
time 3D color analysis.

Sony PRS-T2 Reader™

www.sony.at/reader
Touchscreen in
Papieroptik & Wi-Fi.
Jetzt den Reader von
Sony kaufen!

Exklusive Hochzeitsfotos

www.willibald-hochzeit...
Ihre Hochzeitsreportage
ohne Limit
österreichweit ohne
Reisekosten !

LCD-Anzeigen, Testgeräte

www.lc-design.de
Fehleranalyse,
Displayansteuerung-
Optimierung, LCD-,
OLED-Prüfgerät

Ausschneiden 1.0 Software

Foto-Software.Avanque...
Lupenreines
Ausschneiden &
Retuschieren Ihrer Fotos
& Bilder.

Mom Makes Botox Doctors Furious



Clever Mom
Uses \$5
Trick to
Erase Wrinkles
And Looks
Younger
Instantly!

[Read More...](#)

Ad by Google

internet **SPACE**

New imaging device that is flexible, flat, and transparent

by Staff Writers
Washington DC (SPX) Feb 26, 2013

Digital cameras, medical scanners, and other imaging technologies have advanced considerably during the past decade. Continuing this pace of innovation, an Austrian research team has developed an entirely new way of capturing images based on a flat, flexible, transparent, and potentially disposable polymer sheet. The team describes their new device and its possible applications in a paper published in the Optical Society's (OSA) open-access journal Optics Express.



This shows the world's first flexible and completely transparent image sensor. The plastic film is coated with fluorescent particles. Credit: Credit: Optics Express.

The new imager, which resembles a flexible plastic film, uses fluorescent particles to capture incoming light and channel a portion of it to an array of sensors framing the sheet. With no electronics or internal components, the imager's elegant design makes it ideal for a new breed of imaging technologies, including user interface devices that can respond not to a touch, but merely to a simple gesture.

"To our knowledge, we are the first to present an image sensor that is fully transparent - no integrated microstructures, such as circuits - and is flexible and scalable at the same time," says Oliver Bimber of the Johannes Kepler University Linz in Austria, co-author of the Optics Express paper.

The sensor is based on a polymer film known as a luminescent concentrator (LC), which is suffused with tiny fluorescent particles that absorb a very specific wavelength (blue light for example) and then reemit it at a longer wavelength (green light for example). Some of the reemitted fluorescent light is scattered out of the imager, but a portion of it travels throughout the interior of the film to the outer edges, where arrays of optical sensors (similar to 1-D pinhole cameras) capture the light.

A computer then combines the signals to create a gray-scale image. "With fluorescence, a portion of the light that is reemitted actually stays inside the film," says Bimber. "This is the basic principle of our sensor."

For the luminescent concentrator to work as an imager, Bimber and his colleagues had to determine precisely where light was falling across the entire surface of the film.

This was the major technical challenge because the polymer sheet cannot be divided into individual pixels like the CCD camera inside a smartphone. Instead, fluorescent light from all points across its surface travels to all the edge sensors. Calculating where each bit of light entered the imager would be like determining where along a subway line a passenger got on after the train reached its final destination and all the passengers exited at once.

The solution came from the phenomenon of light attenuation, or dimming, as it travels through the polymer. The longer it travels, the dimmer it becomes. So by measuring the relative brightness of light reaching the

Get Our Free Newsletters
Space - Defense - Environment -
Energy - Solar - Nuclear

your email address ...

Mom Makes Botox Doctors Furious



Clever Mom Uses \$5 Trick to Erase Wrinkles
And Looks Younger Instantly! [Read More...](#)



internet **SPACE**

X-ray microscopy hits the sweet spot for chemical and elemental imaging

Berkeley CA (SPX) Feb 26, 2013
In perhaps no other scientific field does the adage "form follows function" hold more true than in biology, especially the biology of living cells, which is why our knowledge of cells starts with imaging. Optical microscopy is limited by low spatial resolution - about 200 nanometers, and electron microscopy is limited by the poor penetration of electrons and the requirement that it be perf ... [read more](#)

MOON DAILY

Water On The Moon: It's Been There All Along

Building a Lunar base with 3D printing

US, Europe team up for moon fly-by

Russia to Launch Lunar Mission in 2015

MARS DAILY

NASA Rover Confirms First Drilled Mars Rock Sample

India plans mission to Mars in 2013

Rover finds gray rock beneath Red Planet's surface

sensor array, it was possible to calculate where the light entered the film. This same principle has already been employed in an input device that tracks the location of a single laser point on a screen.

The researchers were able to scale up this basic principle by measuring how much light arrives from every direction at each position on the image sensor at the film's edge.

They could then reconstruct the image by using a technique similar to X-ray computed tomography, more commonly known as a CT scan. "In CT technology, it's impossible to reconstruct an image from a single measurement of X-ray attenuation along one scanning direction alone," says Bimber. "With a multiple of these measurements taken at different positions and directions, however, this becomes possible. Our system works in the same way, but where CT uses X-rays, our technique uses visible light."

Currently, the resolution from this image sensor is low (32x32 pixels with the first prototypes). The main reason for this is the limited signal-to-noise ratio of the low-cost photodiodes being used. The researchers are planning better prototypes that cool the photodiodes to achieve a higher signal-to-noise ratio.

By applying advanced sampling techniques, the researchers can already enhance the resolution by reconstructing multiple images at different positions on the film.

These positions differ by less than a single pixel (as determined by the final image, not the polymer itself). By having multiple of these slightly different images reconstructed, it's possible to create a higher resolution image. "This does not require better photodiodes," notes Bimber, "and does not make the sensor significantly slower. The more images we combine, the higher the final resolution is, up to a certain limit."

The main application the researchers envision for this new technology is in touch-free, transparent user interfaces that could seamlessly overlay a television or other display technology.

This would give computer operators or video-game players full gesture control without the need for cameras or other external motion-tracking devices. The polymer sheet could also be wrapped around objects to provide them with sensor capabilities. Since the material is transparent, it's also possible to use multiple layers that each fluoresce at different wavelengths to capture color images.

The researchers also are considering attaching their new sensor in front of a regular, high-resolution CCD sensor. This would allow recording of two images at the same time at two different exposures.

"Combining both would give us a high-resolution image with less overexposed or underexposed regions if scenes with a high dynamic range or contrast are captured," Bimber speculates. He also notes that the polymer sheet portion of the device is relatively inexpensive and therefore disposable. "I think there are many applications for this sensor that we are not yet aware of," he concludes.

["Towards a transparent, flexible, scalable and disposable image sensor using thin-film luminescent concentrators."](#) A. Koppelhuber and O. Bimber, Optics Express, Vol. 21, Issue 4, pp. 4796-4810 (2013).



flashbay

USB Sticks Bedrucken

Bedruckt mit Ihrem Logo,
Geliefert in nur 6 Tagen!

Online Angebote >>>

Related Links

[Optical Society of America](#)
[Satellite-based Internet technologies](#)

[Ads by Google](#) [Flat Screen](#) [Video Imaging](#) [MRI Imaging](#) [Video Capture](#)

[Bleach could hamper Mars life search](#)

SPACE TRAVEL

[Supersonic skydiver's records confirmed](#)

[Kennedy Engineers Designing Plant Habitat For ISS](#)

[NASA plant study headed to space station](#)

[NASA Spinoff 2012 Features New Space Tech Bettering Your Life Today](#)

DRAGON SPACE

[Welcome Aboard Shenzhou 10](#)

[Reshuffle for Tiangong](#)

[China to launch 20 spacecrafts in 2013](#)

STATION NEWS

[NASA briefly loses contact with space station](#)

[Temporary Comm Loss Interrupts Crew's Day](#)

[Low-Gravity Flights Will Aid ISS Fluids and Combustion Experiments](#)

[Progress docks with ISS](#)

LAUNCH PAD

[Countdown begins for Indo-French satellite launch](#)

[NASA Seeks University Participants for Summer Rocket Workshop](#)

[Another Sea Launch Failure](#)

[ILS Concludes Yamal 402 Proton Launch Investigation](#)

EXTRA SOLAR

[NASA's Kepler Mission Discovers Tiny Planet System](#)

[Kepler helps astronomers find tiny exo planet](#)

[Searching for a Pale Blue SPHERE in the Universe](#)

[Earth-like planets are right next door](#)

TECH SPACE

[Tokyo hotel shrinks in new-style urban demolition](#)

[The world's most sensitive plasmon resonance sensor inspired by ancient Roman cup](#)

[Sustainable new catalysts fueled by a single proton](#)

[Sony bills PS4 console as gaming's future](#)

[Recommend](#) [Send](#) 9 people recommend this. [Sign Up](#) to see what your friends recommend. [Tweet](#) 1

Comment on this article via your Facebook, Yahoo, AOL, Hotmail login.



[Comment using...](#)

Facebook social plugin

Share this article via these popular social media networks

 [del.icio.us](#)
 [Digg](#)
 [Reddit](#)
 [Google](#)



[Memory Foam Mattress Review](#)

SPACE MEDIA NETWORK PROMOTIONS

[Solar Energy Solutions](#)

[Tempur-Pedic Mattress Comparison](#)

Newsletters :: SpaceDaily Express :: SpaceWar Express ::
TerraDaily Express :: Energy Daily
XML Feeds :: Space News :: Earth News :: War News :: Solar
Energy News

The content herein, unless otherwise known to be public domain, are Copyright 1995-2012 - Space Media Network. AFP, UPI and IANS news wire stories are copyright Agence France-Presse, United Press International and Indo-Asia News Service. ESA Portal Reports are copyright European Space Agency. All NASA sourced material is public domain. Additional copyrights may apply in whole or part to other bona fide parties. Advertising does not imply endorsement, agreement or approval of any opinions, statements or information provided by Space Media Network on any Web page published or hosted by Space Media Network. [Privacy Statement](#)