

REALTIME NEWS
News Blaze

NEWS

- Front Page
- Top Stories
- Breaking News
- World
- Politics
- Business
- Health
- Food & Wine
- Women
- Women in Business
- Opinion
- Letters to the Editor
- High Tech
- Sports
- Horoscope
- Entertainment
- Entertainment Goss
- Music
- Features
- Books
- Poetry
- Movie Reviews
- Personal Development
- Home & Garden
- Industry
- States
- UFOs
- Environment
- Education
- SupportOurTroops
- Middle East
- South Asia
- Cartoons
- NewsBlaze Blog
- Most Read

WIRES

- News Wires

OTHER

- About Us
- Contact Us
- Writers
- Editors
- Press Room
- Link to Us
- Advertise
- Sitemap

RSS 2.0

BREAKING NEWS: NORTH KOREA'S NUCLEAR TEST HAS COSTLY CONSEQUENCES

Published: February 20, 2013

Press Release

New Imaging Device That Is Flexible, Flat, and Transparent

WASHINGTON - (BUSINESS WIRE) - Digital cameras, medical scanners, and other imaging technologies have advanced considerably during the past decade. Continuing this pace of innovation, an Austrian research team has developed an entirely new way of capturing images based on a flat, flexible, transparent, and potentially disposable polymer sheet. The team describes their new device and its possible applications in a paper published today in the Optical Society's

Share This Story

Share 0

Like 0

+1 0

Tweet 0


Email 0

Share 0

Stumble 0

Share This New

(OSA) open-access journal [Optics Express](#).



The world's first flexible and completely transparent image sensor. The plastic film is coated with fluorescent particles. Credit: Optics Express.

The new imager, which resembles a flexible plastic film, uses fluorescent particles to capture incoming light and channel a portion of it to an array of sensors framing the sheet. With no electronics or internal components, the imager's elegant design makes it ideal for a new breed of imaging technologies, including user interface devices that can respond not to a touch, but merely to a simple gesture.

"To our knowledge, we are the first to present an image sensor that is fully transparent - no integrated microstructures, such as circuits - and is flexible and scalable at the same time," says Oliver Bimber of the Johannes Kepler University Linz in

NewsBlaze





Popul

Urgent Ar

Rorion G

Pandora

Can You I

Follow

Related Results

4 Key Fat Lo

5 Tips to Lose Br


CHI Flat Iron - 5

Press Relea

Austria, co-author of the *Optics Express* paper.

The sensor is based on a polymer film known as a luminescent concentrator (LC), which is suffused with tiny fluorescent particles that absorb a very specific wavelength (blue light for example) and then reemit it at a longer wavelength (green light for example). Some of the reemitted fluorescent light is scattered out of the imager, but a portion of it travels throughout the interior of the film to the outer edges, where arrays of optical sensors (similar to 1-D pinhole cameras) capture the light. A computer then combines the signals to create a gray-scale image. "With fluorescence, a portion of the light that is reemitted actually stays inside the film," says Bimber. "This is the basic principle of our sensor."

For the luminescent concentrator to work as an imager, Bimber and his colleagues had to determine precisely where light was falling across the entire surface of the film. This was the major technical challenge because the polymer sheet cannot be divided into individual pixels like the CCD camera inside a smartphone. Instead, fluorescent light from all points across its surface travels to all the edge sensors. Calculating where each bit of light entered the



imager would be like determining where along a subway line a passenger got on after the train reached its final destination and all the passengers exited at once.

The solution came from the phenomenon of light attenuation, or dimming, as it travels through the polymer. The longer it travels, the dimmer it becomes. So by measuring the relative brightness of light reaching the sensor array, it was possible to calculate where the light entered the film. This same principle has already been employed in an input device that tracks the location of a single laser point on a screen.

The researchers were able to scale up this basic principle by measuring how much light arrives from every direction at each position on the image sensor at the film's edge. They could then reconstruct the image by using a technique similar to X-ray computed tomography, more commonly known as a CT scan.

"In CT technology, it's impossible to reconstruct an image from a single measurement of X-ray attenuation along one scanning direction alone," says Bimber. "With a multiple of these measurements taken at different positions and directions, however, this becomes possible. Our system works in the same way, but where CT uses X-rays, our technique uses visible light."

Currently, the resolution from this image sensor is low (32x32 pixels with the first prototypes). The main reason for this is the limited signal-to-noise ratio of the low-cost photodiodes being used. The researchers are planning better prototypes that cool the photodiodes to achieve a higher signal-to-noise ratio.

By applying advanced sampling techniques, the researchers can already enhance the resolution by reconstructing multiple images at different positions on the film. These positions differ by less than a single pixel (as determined by the final image, not the polymer itself). By having multiple of these slightly different images reconstructed, it's possible to create a higher resolution image. "This does not require better photodiodes," notes Bimber, "and does not make the sensor significantly slower. The more images we combine, the higher the final resolution is, up to a certain limit."

The main application the researchers envision for this new technology is in touch-free, transparent user interfaces that could seamlessly overlay a television or other display technology. This would give computer operators or video-game players full gesture control without the need for cameras or other external motion-tracking devices. The polymer sheet could also be wrapped around objects to provide them with sensor capabilities. Since the material is transparent, it's also possible to use multiple layers that each fluoresce at different wavelengths to capture color images.

The researchers also are considering attaching their new sensor in front of a regular, high-resolution CCD sensor. This would allow recording of two images at the same time at two different exposures. "Combining both would give us a high-resolution image with less overexposed or underexposed regions if scenes with a high dynamic range or contrast are captured," Bimber speculates. He also notes that the polymer sheet portion of the device is relatively inexpensive and therefore disposable. "I think there are many applications for this sensor that we are not yet aware of," he concludes.

Paper: "[Towards a transparent, flexible, scalable and disposable image sensor using thin-film luminescent concentrators](#)," A. Koppelhuber and O. Bimber, *Optics Express*, Vol. 21, Issue 4, pp. 4796-4810 (2013)

EDITOR'S NOTE: Images are available to members of the media upon request. Contact Angela Stark, astark@osa.org.

About *Optics Express*


Optics Express reports on new developments in all fields of optical science and technology every two weeks. The journal provides rapid publication of original, peer-reviewed papers. It is published by the Optical Society and edited by Andrew M. Weiner of Purdue University. *Optics Express* is an open-access journal and is available at no cost to readers online at www.OpticsInfoBase.org/OE.

About OSA

Uniting more than 180,000 professionals from 175 countries, the Optical Society (OSA) brings together the global optics community through its programs and initiatives. Since 1916 OSA has worked to advance the common interests of the field, providing educational resources to the scientists, engineers and business leaders who work in the field by promoting the science of light and the advanced technologies made possible by optics and photonics. OSA publications, events, technical groups and programs foster optics knowledge and scientific collaboration among all those with an interest in optics and photonics. For more information, visit www.osa.org.

Photos/Multimedia Gallery Available: <http://www.businesswire.com/multimedia/home/20130220006745/en/>

The Optical Society
Angela Stark, 202-416-1443



astark@osa.org



 Facebook social plugin
Related Results

1. [#1 Worst food for a belly](#) TheFatBurningHormone.com
Beware of this "healthy" food that causes abdominal fat & weight gain

2. [New Products from Fluke](#) www.omnicontrols.com
Free shipping within USA 10% online discount Coupon RC1126

3. [5 Tips For Flat Stomach](#) www.14dayfatlossplan.com
Learn how to tap into hidden fat loss pathways you didn't know existed.

AdChoices Chitika | Opt out? 

Comment on this story, by email comment@newsblaze.com

[Click here to get NewsBlaze Top Stories in your email](#)

Copyright © 2013, [NewsBlaze Pty. Ltd.](#)

SCIENCE1

[VGTI Florida Scientists Reveal a Mystery of Diminished Immune Function in HIV Infection](#)

[Results from HPS2-THRIVE Study of TREDAPTIVE \(extended-release niacin/laropiprant\) Presented at American College of Car](#)

[Elian Provides Update on Tysabri Transaction and \\$1bn Share Repurchase](#)

[WeatherBug Debuts HTML5 Mobile Lightning Widget for Developers at SXSW](#)

[RegeneRx Receives Notice of Allowance for 2nd U.S. Heart Patent](#)

[NCGR Hosts Symposium on Genome Dynamics](#)

[Proteostasis Therapeutics Presents Data at 11th International Conference on Alzheimer's and Parkinson's Diseases](#)

[Pennsylvania Biotechnology Center Responsible for 573 Jobs and \\$579 Million](#)

[SwRI Launches Third High-Efficiency Gasoline Engine Consortium](#)

[Biovest Files Recapitalization Plan to Strengthen Balance Sheet and Advance Commercialization Strategy for BiovaxID Can](#)

[Bio-Path Holdings Begins Enrollment in Fifth Cohort of Phase I Clinical Trial of Lead Product Candidate Liposomal Grb-2](#)

[Sagentia Leads Discussion On Translating Innovative Ideas Into Successful Products At Frost & Sullivan's 18th Annual](#)

[More SCIENCE1](#)

Top Stories

[Uhuru Kenyatta Wins Kenya's Presidential Poll](#)

[International Women's Day: US Applauds Achievements of Women Globally](#)

[US Says 'North Korea's Nuke Test Has Costly Consequences'](#)

[Amazing Kung Fu Master X.J Pushes Car With Spear on Throat](#)

[New UN Resolution Imposes Financial Sanctions Against DPRK](#)

[Syrian Crisis: Is US Turning a Deaf Ear?](#)

[Iran's Nuclear Issue Threatens International Security](#)

[Indulge in Super Fabulous Thai Food At Bangkok Cuisine!](#)

[Reggie Littlejohn on Mission to End Violence Against Women](#)

[New Facebook Changes Coming Soon!](#)

[Do You Have Back Pain? Hot Flashes? Big Pharma Hopes So!](#)

[World Takes Major Strides to End Violence Against Women and Girls Worldwide](#)

[More Top Stories](#)

NewsBlaze

Copyright © 2004-2012 NewsBlaze LLC

Use of this website is subject to our [Terms of Service](#) and [Privacy Policy](#) | [DMCA Notice](#) |

[Press Room](#)